Materanl health care test bank

Edited by Dima Alrafaiah

- 1. One of the following is a main function of premarital health care:
 - A) Semen analysis.
 - B) controlling risk factors.
 - C) providing medical history
 - D) psychological and social Counseling.

2. Based on the FANC model when does a pregnant woman make the third ANC visit during pregnancy ?
A) First trimester
B) second trimester
C) third trimester
3. The jordanian governate has the highest rate of teenage childbearing is:
a. Irbid
b. Amman
c. mafraq
d. jarash
4. Which period of gestation does the first trimester represent:
A)1- 11 weeks
B)1-10 weeks
C) 1- 13 weeks
D) 1 - 12 weeks
5.Baby is called low birth weight if she/ he measures less than:A) 1.5 kgB) 2.5 Kg
C) 3.5 Kg
D) 2.2 kg

6.The	base of MCH is:
A) Far	nily planning
B) em	otional support
C) phy	ysiological support
D) an	cenatal care
7.the lead	ling cause of material mortality worldwide is:
А	preterm labor
B	•
C	
D) Miscarriage
	g of hands and face, hypertension and proteinuria are symptoms of a complication of y which is:
E)	gestational diabetes
F)	miscarriage
G) Preeclampsia
D	Preterm labor

.Preeclamp	osia tends to occur during what time in pregnancy?
H) F	First trimester
I) k	pefore 20 weeks
J) a	after 20 weeks
10. A de called:	ecrease in the level of hemoglobin in the blood of less than 11 gr/dL during pregnancy is
•	Anemia
-	malaria
	Eclampsia Hypertension
11. <i>A</i>	All of these are risk factors for anemia, except for:
A) po	por nutrition
B) Tv	vin pregnancy
c) sm	noking
D) Re	enal disease
12. Whic	ch of the following is responsible for 95% of Anemia among pregnant women:
A) Hemo	dilution
B) Folate	deficiency

	13. The main cause of maternal morbidity in Jordan:
	A) Hypertension
	B) multiple pregnancy
	C) UTIS
	D) heart diseases
	14. One of the following is not a direct cause of maternal mortality
	A) Severe bleeding
	B) hypertensive disorders
	C) anemia
E)	unsafe abortion
15. % C	f Maternal mortality due to direct complications:
A)	20%
B)	80%
C)	15%
D)	12%
	region with the highest maternal mortality:
16. The	region with the nighest maternal mortality.
16. The A) Sout B) East	h Asia

17. The highest among the direct causes leading to maternal mortality in jordan:
A) Hemorrhage
B) Thromboembolism
C) Septicemia
18. Number of daily maternal deaths According to WHO statistics for the year 2016:
A) 1500
B) 308
C) 4000
D) 830
19. The highest among the indirect causes of maternal mortality in Jordan according to 2007- 2008:
19. The highest among the indirect causes of maternal mortality in Jordan according to 2007- 2008:A) Kidney failure
A) Kidney failure

ANSWERS:

- 1. A+c
- 2. C
- 3. C
- 4. D
- 5. B
- 6. D
- 7. B
- 8. C
- 9. C
- 10. A
- 11. D
- 12. C
- 13. C
- 14. C 15. B
- 16. D 17. A
- 18. D
- 19. C