
The University of Jordan Faculty Of Medicine






The Heart


DR. AHMED SALMAN

Associate professor of anatomy & embryology



- It is a muscular pump that propels blood to various parts of the body.
- Lies within the pericardium in the middle mediastinum.
- ❖1/3 of the heart lies to the right & 2/3 to the left of the median plane.
- The walls of the heart are composed of three layers from outside :
- 1- Epicardium
- 2- Myocardium which is the cardiac muscle
- 3- Endocardium






REED ONLY

The cardiac cycle

- The cycle begins with a period of ventricular elongation and filling (diastole)
- And ends with a period of ventricular shortening and emptying (systole).
- Two heart sounds are heard with a stethoscope: a *lub (1st) sound* as the blood is transferred from the atria into the ventricles
- And a **dub (2nd)** sound as the ventricles expel blood from the heart.
- The heart sounds are produced by the snapping shut of the one way valves that normally keep blood from flowing backward during contractions of the heart.

DR.AHMED SALMAN



- (B) Beginning of diastole upon closure of aortic and pulmonary valves
- (C) Opening of atrioventricular valves during early moments of diastole
- (D) Atrial contraction during final moments of diastole
- (E) Closure of atrioventricular valves (tricuspid and mitral) very soon after systole begins
- (F) Opening of aortic and pulmonary valves during systole

Anterior views

FIGURE 1.49. Cardiac cycle. The cardiac cycle describes the complete movement of the heart or heartbeat and includes the period from the beginning of one heartbeat to the beginning of the next one. The cycle consists of diastole (ventricular relaxation and filling) and systole (ventricular contraction and emptying). The right heart (blue side) is the pump for the pulmonary circuit; the left heart (red side) is the pump for the systemic circuit.


The wall of each heart chamber consists of three layers, from superficial to deep

1- Endocardium: a thin internal layer (endothelium)


2. Myocardium : a thick middle layer composed of cardiac muscle.

3. Epicardium: a thin external layer (mesothelium) formed by the visceral layer of serous

pericardium



DR.AHMED SALMAN




The fibrous skeleton of the heart

The cardiac muscle fibers are anchored to the fibrous skeleton of the heart It is formed of dense collagen fibers

It composed of

- 1- Fibrous rings (L. anuli fibrosi) that surround the orifices of the valves
- 2- Fibrous trigone (right and left) formed by connections between the rings
- **A. The right trigone** is a connective tissue between the aortic ring and right atrioventricular ring .
- **B.** The left trigone is formed by a connective tissue between the aortic ring and the left atrioventricular ring.
- 3-Membranous parts of the interatrial and interventricular septa.





Fibrous ring of left atrioventricular valve


Fibrous ring of right atrioventricular valve





Right fibrous trigone

Left fibrous trigone




Functions of cardiac skeleton

- 1. **Separates** of the atria from the ventricles
- 2. Acts as an electrical **insulator** between the atria and ventricles
- 3. Acts as Framework for the **attachment** of myocardial fibers
- 4. Provides **attachment** points for **valve** leaflets and cusps
- 5. Maintains valve orifices open and prevents them from being overly distended

External Morphology of the Heart

- 1. The heart is related posteriorly Vertebral coulmn
- 2. The heart is posterio Sternum
- 3. The heart is anterior Vertebral coulmn
- 4. The heart is related anteriorly Sternum

Choices are A.Sternum B.Vertebral coulmn



The heart is a pyramidal in shape, It has

Apex, base, four surfaces and four borders

Base: Located posteriorly

Apex: Formed by the left ventricle.

Four surfaces (anterior or sternocostal and inferior or diaphragmatic, right and left surfaces).

Four borders (right, left , superior and inferior).


Four grooves atrioventricular (Coronary sulcus), anterior interventricular , inferior (posterior) interventricular and interatrial groves.

<u>Atrioventricular (Coronary sulcus)</u>: Separates two atria from two ventricles .

<u>Anterior interventricular :</u> Separates two ventricles , it lies on the anterior surface of the heart.

<u>Inferior (Posterior) interventricular:</u> Separates two ventricles , it lies on the inferior surface of the heart

Interatrial: It is marked on the posterior surface, while anteriorly it is hidden by the pulmonary artery and aorta.




The apex of the heart:

☐ Is formed by the infero-lateral part of the left ventricle.

☐ It lies in the left 5th intercostal space, 9 cm (a hand's breadth) from the median plane.

☐ It is the site mitral valve auscultation




The base of the heart

- ☐ It is located posteriorly (opposite the apex)
- ☐ It is formed mainly by the left atrium, with a lesser contribution by the right atrium.
- ☐ The base is related posteriorly to bodies of T6–T9 in erect position.

BUT it lies opposite T5-T8 in recumbent position

☐ It is separated from the vertebrae by the pericardium, oblique pericardial sinus, esophagus, and descending aorta.





Anterior (sternocostal) surface, formed by

- Right atrium (mainly).
- Ventricular part: consists of

Right ventricle (2/3) and Left ventricle (1/3).

Both ventricles are separated by <u>anterior interventricular groove</u>, which contains:1- Anterior interventricular artery 2- Great cardiac vein






Anterior interventricular groove




@ www.kenhub.com


Diaphragmatic (inferior) surface : it is related mainly to the central tendon of the diaphragm , It is consists of Left ventricle (2/3) , Right ventricle (1/3).

- Both ventricles are separated by **posterior interventricular groove** which contains:1.Posterior interventricular artery. 2. Middle cardiac vein.
- □ This surface is separated from the base of the heart by <u>atrioventricular</u> (<u>coronary</u>) <u>sulcus</u>, which contains:
- 1. The right coronary artery
- 2. The circumflex branch of the left coronary artery
- 3. The coronary sinus
- 4. The small cardiac vein





Posterior interventricular groove




Coronary sulcus

© www.kenhub.com




Right surface: formed mainly by the right atrium



Left surface : formed mainly by the left ventricle; it forms the cardiac

impression in the left lung




DR.AHMED SALMAN


Borders of the heart

Right border: formed by the right atrium and extending between the SVC and

the IVC.




Left border: formed mainly by the left ventricle and slightly by the left auricle





Superior border: is formed mainly by the left atrium and completed by the right atrium.

Inferior border: is formed mainly by the right ventricle and slightly by the left

ventricle.







Dr.Amjad Shatart

Borders of the Heart

