

- 1- Q: Female doing gyne: A: don't need muscle relaxant monitoring
- 2- Q: least hypotension IV drug: A: Etomidate
- 3- Q: not act on GABA: A: Ketamine
- 4- Q: wrong about Thiopental: A:
- 5- Q: Redistribution : A: Fat or Skeletal muscle??
- 6- Q: Bupivacaine more cardiac
- 7- Q: Amide: A: (2 I)
- 8- Q: 35 ml at 1%
- 9- Q: spinal Anesthesia
- 10- Q: Thoracic Surgery contraindicated in epidural
- 11- Q: Anterior ligament
- 12- Q: Post dural : Wrong: Setting  
headach
- 13- Q: About Isoflurane: ~~wrong~~ : potent bronchodilator (maybe)!
- 14- Q: 150 ml
- 15- Q: Local : Wrong irreversible
- 16- Q- lipophilic with (low / high) ??
- 17- Q: Catheterization (Chain Survival) <sup>not a part of</sup>
- 18- Q: Cardiac arrest : ↓ BP
- 19- Q: Asystole
- 20- Q: Covid 19 : Maybe ① secure Airway ?

21-Q: Metabrolol

22-Q: Amiodarone

23-Q: Unsynchronized DC

24-Q: pH = 5

25-Q: Wang: colloid synthetic

26-Q: tracheostomy: true

27-Q: True: Jaw thrust only

28-Q: ~~probably~~ ~~probably~~ probably difficult

29-Q: laryngoscopy??

30-Q: ARDS

31-Q: Myocardial Infarction

32-Q: Chest deformity

33-Q: Type 2 (ABG)

34-Q: About O<sub>2</sub>: 1 or 2 or 3 or 4 or 5??

35-Q: Aspiration pneumonia

36-Q: EEG??

37-Q: Capnograph??

(2)

38-Q: Hypoxic hypoxia? nitrous oxide : Q-52

39-Q: 100 O<sub>2</sub> in shunt? : Q-82

40-Q: echo / radiology ?? : Q-12

41-Q: tetralogy of Fallot ?? : Q-88

42-Q: ~~is~~ ideal mild : Q-22

43-Q: Stroke : Q-12

44-Q: Desflurane : Q-82

45-Q: V wave = filling : Q-82

46-Q: Bradycardia (in nitroglycerine) : Q-12

47-Q: Metabolic Acidosis : Q-88

48-Q: PEEP and Cipap ?? : Q-12

49-Q: < 110 HR : Q-12

50-Q: REM Stage III : Q-82

51-Q: DISS: not "interchangeable" : Q-82

52-Q: remifentanyl ??

53-Q: Calcium potentiated ??

54-Q: Antibiotics ??

55-Q: Chronic neuropathic pain

56-Q: Glycine

57-Q:

58-Q: ↑ BP in Intubation

59-Q: Succinylcholine (10min) } ???

60-Q: Caudal Anesthesia

61-Q: Rapid Sequence Induction ??

62-Q: morphine Q ??

63-Q: pre-VF and Cardiac arrest or Altered mental state ?

(4)

64-Q: wrong :  $> 28$  (cuff) (maybe)??

65-Q: Xenon ..... (maybe)

66-Q:  $< 5$  Sagmida  $> 5$   $< 5$   $> 5$



**Sultan Elayan**

Author

Q.66 : 5.5

46w Like Reply



**May Khalil**

[Sultan Elayan](#) about suggamadex was an answer with rocruniom and neostagmine

46w Like Reply



**Sultan Elayan**

Author

[May Khalil](#) I really forgot it 😅

46w Like Reply



**Bushra Salem**

[May Khalil](#)

كان أول خيار؟

46w Like Reply



**Ahmad Al-Haj**

[May Khalil](#) no it is not a wrong statement

46w Like Reply



**May Khalil**

[Bushra Salem](#) yes



Write a comment...





## Sultan's post



**May Khalil**  
[Ahmad Al-Haj](#) why?

46w Like Reply



**Ahmad Al-Haj**  
انا داري عنه [May Khalil](#)  
مكتوبة بسلايداته هاي الجملة  
اخر سلايدة بمحاضرة NMBs

46w Like Reply



**May Khalil**  
[Ahmad Al-Haj](#) the statement was  
that sugammades isn't an antidote  
for to urinions sur neostigmine  
So it's wrong

46w Like Reply



Write a reply...



Write a reply...



**Bushra Salem**  
سؤال 54 ليش مو  $FiO_2 > 40$  ؟

46w Like Reply



**Sultan Elayan**

[Author](#)



Write a comment...





## Sultan's post



**Sultan Elayan**

Author

مو متأكد يمكن انا الي غلط



46w Like Reply

1 🥲



Write a reply...



**Aliah AlShammari**

.

46w Like Reply



**Zain Almarahfeh**

Batool Lutfy Amanda S Alramamneh

46w Like Reply

1 ❤️



**Abdullah Alkhamaiseh**

13 اظن جوابها انه نستخدمه بال induction

46w Like Reply

2 👍



**Sultan Elayan**

Author

انا ناسي الصراحة

بس جوابك هو اكيد الصح اذا كان في هيك خيار



46w Like Reply



Write a comment...







**Saif Hamam**  
Abdullah Alkhamaiseh

ما كان هيك الخيار

46w Like Reply



**Abdullah Alkhamaiseh**  
Saif Hamam

امبلا اظن كان كذا

بالاصل brincho dilator صح وموجودة  
بالسلايدز

46w Like Reply



**Sultan Elayan**  
Author

وانا ما اتوقع شفتها لانها Saif Hamam  
واضحة كثير كإجابة 😊

46w Like Reply



Write a reply...



**Abrar Al-Ali**  
Abdullah Alkhamaiseh

كان الخيار ما نستخدمه بال induction وهذا  
صح

46w Like Reply



Write a comment...





**Abrar Al-Ali**  
[Abdullah Alkhamaiseh](#)

كان الخيار ما نستخدمه بال induction وهذا  
صح

46w Like Reply



**Abdullah Alkhamaiseh**  
[Abrar Al-Ali](#)

اظن كان الخيار انه بيعمل  
Induce muscle relaxation

46w Like Reply



**Sultan Elayan**  
[Author](#)

[Abdullah Alkhamaiseh](#) موجود بالاسلايد  
انه بيعمل  
بس الفكرة هو صح bronchodilator بس  
مش potent  
و يمكن يكون هون التريك ما بعرف

46w Like Reply



**Abrar Al-Ali**  
[Abdullah Alkhamaiseh](#) كان فيه هيك  
بالخيارات كمان

46w Like Reply



**Sultan Elayan**



Write a comment...





**Sultan Elayan**

Author

Abdullah Alkhamaiseh



46w Like Reply



**Abdullah Alkhamaiseh**

Sultan Elayan

هاض halothane

السؤال iso

46w Like Reply



**Sultan Elayan**

Author

مهوي عشان هيڪ هاي هي الغلط

46w Like Reply



Write a reply...



Write a comment...





## Sultan's post



**Sultan Elayan**

Author

Q.67 : about anesthesia machine : I forgot it



46w Like Reply



**Bushra Salem**

Sultan Elayan

! flow meter كان عن

46w Like Reply



Write a reply...



**Sultan Elayan**

Author

Q:68 : low level aldosterone

46w Like Reply



**Ahmad Al-Haj**

13 كان الخطأ

iso induces muscle relaxation انه ال

46w Like Reply



**Sultan Elayan**

Author

بالسلايد مكتوب انه يعمل

46w Like Reply



Write a comment...





## Sultan's post



**Ahmad Al-Haj**

الـsevo العمل اتوقع بس [Sultan Elayan](#)

46w Like Reply



Write a reply...



Write a reply...



**Sultan Elayan**

[Author](#)

Q.69 : laryngoscope view : I forgot the choices

46w Like Reply



**Mohammad Al Soudi**

[Sultan Elayan](#)

I think it was about placing the tip of the laryngoscope anterior to the epiglottis

46w Like Reply



**Ghada Alzoubi**

اظن هاي الجملة [Mohammad Al Soudi](#)

صحيحة ، كان بده الخطأ

46w Like Reply



Write a reply...



Write a comment...





**Raghad Adnan**

not reverse the **Bushra Salem** كانه كان مكتوب  
action of rocuronium  
أو أنا قرأت غلط

46w Like Reply



**Bushra Salem**

**Raghad Adnan**

ناسية الخيار بالضبط ، بس كانه اه كان حولين هذا  
الخيار

46w Like Reply



Write a reply...



**Manal Abdel Hadi**

**Omar Mohamed**

46w Like Reply



**Sohib Al-shabatat**

كل وحدة كانت بخيار لحالها .. !

- Advance the tip of the laryngoscope blade anterior to the Epiglottis ( i.e. in the vellucula against the Hypoid bone)

46w Like Reply



**Abdullah Zghoul**

**Sohib Al-shabatat**

"تراجعش عشان ما يطيروا علاماتك"



Write a comment...





**Maraheb AlShammari**  
5.5 non cuffed

46w Like Reply



**Fatemah Boushehri**  
.

46w Like Reply



**Maraheb AlShammari**  
Shift to right?

46w Like Reply



**Zaina Abduljalil**  
[Maraheb AlShammari](#) resp acidosis

46w Like Reply



**Sohیب Al-shabatat**  
[Zaina Abduljalil](#)  
الخيار كان  
Metabolic acidosis

46w Like Reply



**May Khalil**  
كان موجود الخيارين [Sohیب Al-shabatat](#)  
resp acidosis and metabolic  
??? 'acidosis

46w Like Reply



Write a comment...





**Talal Talal**

[Zaina Abduljalil](#) i checked and severe hypoxia can also do a right shift

46w Like Reply



**Sohیب Al-shabatat**

[May Khalil](#)

لا كان resp alkalosis و met acidosis

46w Like Reply



Write a reply...



Write a reply...



**Maysam Nihad**

..

46w Like Reply



**Khalil Albustanji**

..

46w Like Reply



**Zaina Abduljalil**

Bradycardia: previous VT?

46w Like Reply

1



Write a comment...







**Zaina Abduljalil**  
lidocaine: 35 ml 1% I guess

46w Like Reply



**Rahaf AL-haddar**  
Not with anaphylactic shock-> bradycardia

46w Like Reply



**Rahaf AL-haddar**  
Low boiling-> desflurane

46w Like Reply



**Farah Hazem**  
.

46w Like Reply



**Omar Hamzeh**  
.

46w Like Reply



**Raneem Kafawin**  
.

46w Like Reply



**Bayan Alomoush**  
...

46w Like Reply



Write a comment...





**Rama Amourah**

Tetralogy of Fallot is a right to left shunt, therefore the induction time for inhaled anesthesia would be prolonged <https://pubmed.ncbi.nlm.nih.gov/27397451/>




**Comparison of speed of inhalational induction in childre...**  
pubmed.ncbi.nlm.nih.gov

46w Like Reply



**Hussain Alhashem**

هاي ورقة فيها شوي من الأسئلة والخيارات  
طبعاً مش كلشي محطوط صح 😊



46w Like Reply



**Fatemah Boushehri**

[Hussain Alhashem](#) لو احد يجمع لنا الحل



Write a comment...



\* False about isoflurane: potent bronchodilator, methyl ethyl ether, provides muscle relaxation  
For induction

\* BIS  $\square$ : invasive, many factors can affect it

\* neuromuscular: stroke?  $\square$  real time reading: ECG, Capno

\* Hb curve to right: hypothermia, hypoxia

\* heSoro Non-depolarizing, slow onset

\* Sugammadex  $\square$ : reliable in obese

\* avoid serious case of anesthetic disasters

\* type I RF  $\square$ : chest wall deformity

\* opioid receptor  $\square$ : potentiate  $Ca^{2+}$ , inhibit adenylate cyclase

\* first sign of arrest

\* N2O equivalent to morphine / opiate  $\downarrow$  after waking

\* shunting  $\square$ : 100% O<sub>2</sub>

\* dactylic pain? neuropathic

\* ECG: find underlying cause

\* Redistribution of propofol? fat, muscle

\* difference than PEEP & CPAP:

\* Covid-19

\* Not supported by anesthesia: diagnostic Radio?, echo?

\* card  $\square$ : shouldn't be inflated more than 28

\* false in local: irreversible?, benzene + amine via alkyl chain

\* minimum O<sub>2</sub> L/min to remove exhaled gas

\* Least boiling points?

\* inhibitory transmitter: substance P, Glycine, NGF, CGRP, Glutamate

\* new IV anesthetic: hydrophilic, lipophilic with low tissue binding  
+ rgt release



end diastole: d  
early systole: C  
mid systole: X  
late systole: V  
early diastole: y



**Omar Sharif**

glycine or substance p? anyone know for sure?

46w Like Reply



**Bushra Salem**

[Omar Sharif](#)

glycine

46w Like Reply



Write a reply...



**Bushra H Al Kilani**

..

46w Like Reply



**Bushra H Al Kilani**

..

46w Like Reply



**Fatemah Boushehri**

.....

46w Like Reply



**Fatemah Boushehri**

urine output في سوال عن  
وفي سوال عن وين ما نحتاج التخدير

epidural ...



Write a comment...





**Fatemah Boushehri**

وفي سوال عن كم لتر

46w Like Reply



**Fatemah Boushehri**

وفي سوال عن ال DIS

46w Like Reply



**Omar Sharif**

[Fatemah Boushehri](#) answer was a, threaded whatever

46w Like Reply



Write a reply...



**Fatemah Boushehri**

بليز التجميع باسرع وقت قبل لا يصير فيني شي   

46w Like Reply



**Omar Sharif**

was the answer urine output 0.5 for that one question?

46w Like Reply



**Bushra H Al Kilani**

[Omar Sharif](#) I think answer of this



Write a comment...





# Hadi's post



**Bushra H Al Kilani**

[Omar Sharif](#) I think answer of this question was heart rate 110

46w Like Reply



**Osama ALjeady**

[Omar Sharif](#) venous>70% is wrong too, its 60%

46w Like Reply



Write a reply...



**May Khalil**

Wrong about thiopental what was it's answer ??

46w Like Reply



**Omar Sharif**

[May Khalil](#) last option, antanalgesic.. I think

46w Like Reply



**Bushra Salem**

[Omar Sharif](#)

هاي الجملة صح!

46w Like Reply



Write a comment...





**Dana Obeidat**

سؤال ال supported by anaesthesia كلهم صح مش عارفة شو بتهيأ لهم بهيك سؤال!

46w Like Reply



**May Khalil**

Which of the following is a disaster in anesthesia?

Hypoxia

Nerve damage

46w Like Reply



**Omar Sharif**

[May Khalil](#) not aspiration pneumonia?

46w Like Reply



Write a reply...



**May Khalil**

Wrong about rapid Induction?

46w Like Reply



**Bushra Salem**

[May Khalil](#)

متذكرة شي من الخيارات؟

46w Like Reply



Write a comment...





## Hadi's post



40w Like Reply



**Bushra H Al Kilani**

[Bushra Salem](#)

Pre ventilation 3 to 5 mins

Early prepare of IV anesthetic

Prior narcosis is a must

اشي تاني is a must

46w Like Reply



**Bushra Salem**

[Bushra H Al Kilani](#)

اها هسا اتذكرته.

خيار narcosis مش لهذا السؤال !  
بتذكر جاوبته خيار N/G tube (كانت خيار e  
) ، بس مش عارفة إذا صح أو لا

46w Like Reply



**محمد تکروري**

[Bushra H Al Kilani](#) NG tube must be  
left in place till after intubation

وهي الجواب

لانو ال NG tube must be inserted  
after intubation to prevent  
aspiration

46w Like Reply



Write a reply...



Write a comment...







**Saif Hammad**  
Etomidate

46w Like Reply

3



**Bushra Salem**  
chronic neuropathic pain

46w Like Reply

5



**Bushra H Al Kilani**  
[Bushra Salem](#) a man after herial repair surgery, after 7 months, feeling radiation of electrical and tingling sensations that radiate to his right medial thigh

46w Like Reply



Write a reply...



**Bushra H Al Kilani**  
[Saif Hammad](#)  
Is it the answer of the drug that doesn't cause hypertension or smth like that.. ?

46w Like Reply



**Saif Hammad**  
[Bushra H Al Kilani](#) yes

46w Like Reply

2



Write a comment...





**Bushra H Al Kilani**

Regarding BIS

- invasive
- many factors can affect it
- EEG on temporal..

46w Like Reply



**Bushra Salem**

[Bushra H Al Kilani](#)

.... many factors can اتوقع الجواب خيار

46w Like Reply



Write a reply...



**Bushra H Al Kilani**

About CRP for corona pt:

- Porsennel of intubation should be expert
- Only the one who's doing cardiac compression can be in direct contact with PEE
- only the one who is managing airway can be in a direct contact with PEE
- All CPR team should be present

46w Like Reply



**Saif Hammad**

[Bushra H Al Kilani](#) expert

46w Like Reply



Write a comment...





**Bushra H Al Kilani**

New IV anesthetic that is distributed in large volumes, properties?

- hydrophilic with high plasma protein binding
- hydrophobic with low tissue protein binding
- hydrophobic..

46w Like Reply



**Bushra H Al Kilani**

About ventori:

- no openings on the sides
- smaller orifices lesser  $FiO_2$

46w Like Reply



**محمد تکروري**

The smallest the orifice the less  $FiO_2$

46w Like Reply



**Bushra Salem**

[Bushra H Al Kilani](#)

smaller orifice, less  $FiO_2$

هذا الجواب

46w Like Reply



Write a reply...



**Bushra H Al Kilani**

Difference between DEEP and CPAP



Write a comment...





**Bushra H Al Kilani**  
Difference between PEEP and CPAP

46w Like Reply



**محمد تکروري**  
CPAP in spontaneous ventilation while  
PEEP in patient under anesthesia

46w Like Reply



**Bushra Salem**  
[Bushra H Al Kilani](#)  
CPAP for spontaneous breathing , PEEP  
for mechanical ventilation (intubated pt )  
اتوقع هذا الجواب

46w Like Reply



Write a reply...



**Bushra H Al Kilani**  
Redistribution of propofol  
-Fat  
- muscle  
- liver  
- skin

46w Like Reply



**Bushra H Al Kilani**



Write a comment...





**Bushra H Al Kilani**

Wrong about cuffed:

- diameter of cuffed 7 is same as non cuffed
- shouldn't be inflated more than 28

46w Like Reply



**Bushra H Al Kilani**

Not supported by Anastasia:

- Echocardiography
- Diagnostic radiology
- interventional radiology

46w Like Reply



**Islam Bilal**

[Bushra H Al Kilani](#) echo

46w Like Reply



Write a reply...



**Bushra H Al Kilani**

Minimum O2/min to resume exhalation of gas .. :

- 1L
- 2L
- 3L
- 4L
- 5L



Write a comment...





**Bayan Alomoush**  
[Bushra H Al Kilani](#) o?

46w Like Reply



Write a reply...



**Bushra H Al Kilani**  
False about local anesthetics:  
-irreversible block  
- benzine +amine via alkyl chain

46w Like Reply



**Bushra H Al Kilani**  
Not always done for respiratory failure:  
- IV Antibiotics  
-  $FiO_2 > 40$

46w Like Reply



**محمد تکروري**  
المفروض  $FiO_2 > 40$

46w Like Reply



**Bushra H Al Kilani**  
[محمد تکروري](#)  
اذا بتتذكر خيارات تانية اكتبها

46w Like Reply



Write a comment...





**Bushra H Al Kilani**

Wrong about sugammadex:

-reliable for reversal of rochuronium in obese pts.

46w Like Reply



**محمد تكروري**

بتذكر كمان هدول

- not used to reverse action of cisatracurium  
- faster action than neostigmine  
- antidote for NDMR

بس ناسي الخيار الاخير .. اظن هو الجواب

46w Like Reply



Write a reply...



**Bushra H Al Kilani**

Succinylcholine despite similarity with acetylcholine relaxes muscles because?

- has unusual blocking mechanism  
- has 4 ammonium ions..  
- inhibit muscle repolarization for 4 to 10 minutes until it's metabolized  
اشي زي هيك

46w Like Reply



**Omar Sharif**



Write a comment...





**Omar Sharif**

[Bushra H Al Kilani](#) do you remember what the answer to this one was?

46w Like Reply



**Bushra H Al Kilani**

[Omar Sharif](#)

My answer was the first choice here but honestly I'm not sure

46w Like Reply



Write a reply...



Write a reply...



**Bushra H Al Kilani**

Before giving non depolarizing muscle relaxant?

- face mask

46w Like Reply



**Bushra H Al Kilani**

مش شرط انه الجواب بس مو ببالي الخيارات  
التانية

46w Like Reply



Write a reply...



Write a comment...







**Bushra H Al Kilani**  
Pulmonary shunting (wrong):  
- treated by 100% O<sub>2</sub>

46w Like Reply



**Bushra H Al Kilani**  
First sign of cardiac arrest:  
-Hypotension  
- increased CO<sub>2</sub>  
- chest pain

46w Like Reply



**Bushra H Al Kilani**  
- all are disadvantages of flowmeter except:  
مش متزكرة ولا خيار

46w Like Reply



**Bushra Salem**  
[Bushra H Al Kilani](#)  
-Leakage  
-Back-pressure  
-Static electricity  
-Non-vertical tube  
الخيار الخامس ناسيته و اتوقع هو الجواب

46w Like Reply



**Bushra H Al Kilani**  
[Bushra Salem](#)



Write a comment...





**Bushra H Al Kilani**

[Bushra Salem](#)

كان فيو backward pressure او اشي زي هيك

46w Like Reply



Write a reply...



Write a reply...



**Bushra H Al Kilani**

Doesn't act on GABA: Ketamine

46w Like Reply



**Bushra H Al Kilani**


Wrong about laryngoscope:

- only posterior vocal cords seen in stage 2?
- tip is placed anterior to epiglottis
- tip is placed on vallecula
- should be handled by left hand
- handled vertically

46w Like Reply



**Bushra H Al Kilani**



Write a comment...




Question 14

Not yet answered

Marked out of 1.00

Flag question

38 years old male patient smoker, with a history of diabetes and IHD on regular medications. He presented to the emergency room with the below-shown rhythm,



His BP is 70/35 mmHg, was complaining of chest pain. He was given three synchronized cardioversion shocks with no improvement in his condition. The next step in his treatment is:

- a. Giving calcium channel blocker
- b. Giving intravenous beta-blocker followed by oral tablets
- c. Giving 300 mgs of amiodaron over 10-20 min
- d. Giving streptokinase and activate Cath lab
- e. Giving another three attempts of cardioversion after 5 minutes of the failed ones

Clear my choice

Question **15**

Not yet  
answered

Marked out of  
1.00

🚩 Flag  
question

While insertion of the spinal needle to reach subarachnoid space using midline approach, the needle passes through the following EXCEPT:

- a. Supraspinous ligament
- b. Ligamentum Flavum.
- c. Interspinous Ligament
- d. Epidural space
- e. Anterior longitudinal ligament

[Clear my choice](#)

Question 27

Not yet answered

Marked out of 1.00

Flag question

You have been called to assess a patient who became tachycardic on his second post-operative day. On examination, you found the following: His BP is 180/110 mmHg, his Heart rhythm was irregular with a rate of around 140/min. 12-leads ECG showed the attached rhythm.



His Glasgow Coma Scale is 15/15, and his chest is clear on auscultation.

The first line of treatment is:

- a. Defibrillation with 360 joules
- b. Metoprolol intravenous injection
- c. Digoxin 0.5mg over 1 hour
- d. Adenosine 6 mg intravenous followed by 12 mg
- e. Carotid body and eyeball massage

Clear my choice

Question 40

Not yet  
answered

Marked out of  
1.00

Flag  
question

Which of the following local anesthetics is  
the most cardio-toxic agent?

- a. Lidocaine
- b. Mepivacaine
- c. Ropivacaine
- d. Procaine
- e. Bupivacaine

[Clear my choice](#)



**Bushra H Al Kilani**

Question 40  
Not yet answered  
Marked out of 1.00  
Flag question

Which of the following local anesthetics is the **most cardio-toxic agent**?

- a. Lidocaine
- b. Mepivacaine
- c. Ropivacaine
- d. Procaine
- e. Bupivacaine

Clear my choice

46w Like Reply



**Bdoor Abdallat**

Bushra H Al Kilani بتذكري صيغة السؤال؟

46w Like Reply



**Bushra Salem**

Bdoor Abdallat

مش متأكدة، بس اتوقع السؤال كان عن Bupivacaine و بده الجملة الصح الجملة الصح كانت خيار cardio toxic

46w Like Reply



Write a reply...



Write a reply...



**Bushra H Al Kilani**

-chest movement

-vapor in the tube



Write a comment...





**Bushra H Al Kilani**

-chest movement

-vapor in the tube

-inserting through vocal cord

نسيت صيغة السؤال بس هاي من ضمن خياراته

46w Like Reply



**محمد تکروري**

All of the following are signs of correctly placed ETT except : hypertension

46w Like Reply



**Bushra H Al Kilani**

محمد تکروري 100

46w Like Reply



Write a reply...



Write a reply...



**Bushra H Al Kilani**

نسيت شو كان بدو السؤال بس كان في

Child, subumbulical surgery..

46w Like Reply



**محمد تکروري**

The most suitable way to relieve pain in



Write a comment...







محمد تکروري

The most suitable way to relieve pain in child undergoing subumbilical surgery: caudal block

46w Like Reply



Bushra Salem

Bushra H Al Kilani

caudal block كإنه الجواب

46w Like Reply



Write a reply...



Bushra H Al Kilani

Real time reading

-EEG

-Capnography

- non invasive blood pressure monitor

46w Like Reply



Tayseer Mahmoud

.

46w Like Reply



Sohib Al-shabatat



• Advance the tip of the laryngoscope blade anterior to the Epiglottis ( i.e. in the vellucula against the Hypoid bone)



Write a comment...

