## Psychiatry 1st

How u will ask about orientation, concentration, abstract, short term memory, long term memory from the book (2nd chapter)

- -Define delusion fixed false belief
- -Define Circumstantiality Diverging to many topics but finally the podient answer the question.
- -Define illusion misinterpretation of an existing stimulus
- -Differences between anterograde amnesia and retrograde amnesia? ☐ №€
- -Variations of Diurnal mood in depression ??
- Case of 17 yr old male, come to the ER with police, he has delusions, auditory hallucination, disorganized speech and loss of association in his thoughts
- 1) differential diagnoses? Schizo, Substance-use psychosis, bipolar
- 2) treatment? What would you see if u didn't give him the Tx? اشىي زي إلى الموال علط ؟؟ المسؤال علط ؟؟
- 3) investigations? Urine & blood test for Substance-use (Doping test), CT scan to see lateral ventricles enlargement (takes very lt was a case of acute schizo / substance abuse

Pt was agitated, unstable according to vital (HR >100, temp 39, RR  $\uparrow$  , BP  $\uparrow$  )

- 1) would u admit him to psychiatry unit? If yes, what's the indications?
- 2) investigations u would ask? CXR, CBC, CRP, electrolytes
- 3) differential diagnoses? Delivium
- 4) treatment ? anti-psychotic
- 5) drugs/ psychiatric interventions that are contraindicated to him? TCA
- 6) do you think if the MDD has a role in his state?
- ° A case of delirium

- case of 24 yr old male, come to ER by his family, he was agitated and he fighted with his young brother/ as he is a Devil This happened when he come back with his friends after midnight
- 1) differential diagnoses? Substance use prychosis 2) treatment? What would you see if you didn't give him the Tx? Anti- Psychotic
- 3) investigations? Doping test
- ° A case of substance abuse
- Case of pt, he was worried about many events in his life odifficulty in (اشبي بمعنى أنه مخه ما بفضي من الافكار)، difficulty in
- concentration, sleep 3 hrs/day, Muscle tension/ mainly neck muscles -For duration of 1 year
- 1) differential diagnoses? Generalized anxiety Disorder
- 2) treatment? CBT, SSPI
- 3) other comorbidities? Depression, OCD, personality Disorder, phobia
- ^^ case of generalized anxiety disorder

## Psychiatry 2nd

- -What is the difference between anterograde & retrograde amnesia? [[[]]
- -What is the difference between obsessions & compulsions? check back
- -What is difference between illusions & hallucinations? ""
- -What is the most common organic hallucination? Visual hallucination -Name three types of thought process pathology tangetability, clanging, they bloom
- Case: grandiose delusions & auditory hallucinations for 1 week duration, slept 2 hours during the past 3 days, spent all of his money to buy gifts for his frinds.
- -write down 3 differential diagnoses biplar, schize, schize affective, Substance -use Psychosis
- -an indication for admission: Dangerous/harmful to himself or others, Doesn't eat or drink
- Case: patient was diagnosed with schzophrenia, compliant to her medications, came to the clinic complaining of fixed neck flexion. Dystonia
- -What is the diagnosis? Dyshoria
- -What is the cause? Anti-Psychotic
- -Write down other side effects to her medications Akathesia, Parkonsism, Tradice Dyskinsi -Write down 3 symptoms of neuroleptic malignant syndrome FEVER mne.
- Case: patient was diagnosed with anxiety & depression, treated with SSRI,
- came to the clinic with her family complaining of bizzare posture, mutism [& other symptoms?
- -What is the diagnosis? Catatonia
- -Why did not she improve on SSRI? Biplar patient got treated with SSRI so it induced psychosis
- (the doctor said it was catatonia)
- -Write down 3 symptoms of alcohol intoxication 7 from her or book
- -Write down 2 medications used in the treatment of alcohol withdrawal Conalexone abenzo

اسلام, المملام, المملر, المملر المملر, المملر

-What is the difference between anorexia nervosa & bulimia nervosa?
-What are the main 3 features of anorexia nervosa?

purging, Lwt

## Psychiatry 3rd

Normal Cortisol

Q about ECT (pregnant women with manic episode best tx is ECT) then they ask about:

- indication refractory Depression, sucidial Depressed patient, can't use medication like in Preg...
- complications headache, nausea, Detrograde anterograde amnesia relative contraindications bears, antiepikplic, AICO like train tumor
- how many session we do and how much the voltage 6-12 sim, 250 y
- what the drug that is withhold 1 day before doing ECT

Q (about girl has depression + sexual abuse when she was a child + mood swings + feel of emptiness + many suicidal attempt)
They ask:

-define personality disorder

- statement: "the patient says she is scattered in the space, she in not she "what do you understand from this statement?

Answer is: dissociative symptoms

- give 2 things make the patient develop borderline Sexual abuse, family conflict
- if we told you that her parent didn't give her attention when she was a child, what she will develop with her psychiatrist?

Answer is transference

Answer is transference ( معنى هالكلام انه البنت ما حصلت على اهتمام و هي صغيرة فلما تشوف طبيبها عم بعالجها فهي

بتفكره مهتم فيها و تصير تتعلق فيه )

tx is : DBT

# Q about Lithium

- therapeutic dose
- -lethal dose
- investigation
- two disease you use lithium for
- cardiac and hematoloy side effect of lithium -give one drug used in bipolar patient who has depression
- give one drug you use it in mixed mood disorder
- if the patient has 4 episodes per year, what do we call this?
- -most serious side effect of lamotrigine
- Mental state
  - how to ask about judgement
- -give 3 disorder of thought process - what the difference between affect and mood
- -how to ask about short term memory
- -most common hallucinations in organic disease
- Q about MDD
- most likely diagnosis + give one medical disease that has similar
- lines of tx (first &second )
- -ssri drug that has longest duration of action

## Psychiatry 4th

presentation (answer is hypothyroidism .... ا في كتير امثلة هاد واحد منها

## MCQs:

1) Which of the following is not in the differential diagnosis of psychosis?

Schizophrenia

Bipolar depression Mania

Unipolar depression

Social Anxiety

More than one of the above

Answer: Social Anxiety

- 2)Which of the following must have delusions in order to be diagnosed? Schizophrenia
- Bipolar

**MDD** 

Delusional Disorder

More than one of the above

**Answer:** Delusional disorder

- 3)Which of the following is correct?
- Both negative and positive symptoms must be present in active psychosis Psychosis occurs in less than 20% of acute mania patients
- In mania the mood must be elevated
- None of the above
- Answer: None of the above
- 4) Which of the following is correctly matched
- Delirium -> IV Diazepam
- Quetiapine-> bipolar depression Cetalopram -> unipolar depression
- May then are of the shave
- More than one of the above
- Answer More than one of the above (the unipolar and bipolar depression treatments are both correct)
- 5)Which of the following is not treated by SSRIs?
- Negative symptoms of schizophrenia
- Atypical depression

  Melancholic features of depression
- OCD
- More than one of the above
- Answer: Negative symptoms of schizophrenia

## Short answer Q's:

Q1) 20 year old female medical student brought to ER. She feels like the world is a dream. She complains of episodes that last for 15 minutes (tingling, palpitations, etc.) that have occurred repeatedly over the last 3 months. These episodes wake her up during the night. She no longer likes doing the things she previously loved. She has poor appetite, and her grades have worsened. She has no hope that things will get better.

- 1. Differential diagnosis: Panic disorder, MDD
- 2. What are her treatment options: SSRIs and CBT
- 3. What is the descriptive pathology of the following phrases?
  - "She feels like the world is a dream" -> Derealization
- "She no longer likes doing the things she previously loved" -> anhedonia
- 4. Give 3 phrases from the case that indicate melancholic features of depression
- Q2) 20 year old male, previously healthy, brought by his family to the ER due to two weeks of bizarre behavior. He hears voices talking about him and claims that there are people out to get him. He says he is certain of this because the streetlight flashed twice. He is convinced others can hear his thoughts
- 1. differential diagnosis: Substance induced psychosis, brief psychotic disorder, still early to tell/needs more history: schizophreniform + schizophrenia
- 2. Treatment options: antipsychotics (and antidote for substance abuse if applicable)
- 3. What is a motor symptom that can be caused by the treatment you give? EPS
- 4. What is the descriptive pathology for the following?
  - "He hears voices talking about him:" auditory hallucinations
- "He is convinced others can hear his thoughts:" thought broadcasting delusion
- 5. Give two items from the case that indicate poor prognosis: male gender and early onset

- Q3) 30 year old female brought to the ER by her family because she has not slept more than 2 hours the last three days. She believes she is a descendent of Cleopatra and says she talks to her all the time. She has used all of her last month's salary buying gifts for her friends
- 1. Differential diagnosis: Bipolar I, substance induced mania
- 2. Treatment options: Lithium, atypical antipsychotics
- 3. Extract phrases from the text that indicate: - Grandiosity: "She believes she has descended from Cleopatra"
  - Auditory Hallucinations: "She says she talks to her all the time"
- 4. Later in the course of her treatment, she presents with tremor, seizures, and affect on kidney function. What drug caused this and how can you treat it? Lithium. Dialysis

## Q4)

- 1. What is the difference between mood and affect?
- 2. How would you assess a patient's judgement?
- 3. How would you assess short term memory?
- 4. Tell the descriptive pathology for the following: - Patient keeps their arm raised for the entire interview: Catalepsy?
  - "I feel like hell. I rang the bell. I almost fell": Clang association

  - Run store dinner (other random words): word salad

## Psychiatry 5th

Q1: Mention CAGE cruteria for alcohol dependence and what each letter refers to? How many points you need to get to say it is positive?

Answer: Have you though to CUT DOWN drinking Have people ANNOYED you by criticism


Do you feel GUILTY Aabout drinking

Have you felt the need to drink first thinh in the morning (EYE OPENER)

Most probably 2 pints out of 4, the doctor said she will consider 2 or 3 correct, not sure.

Q2: Patient woth psychosis on treatment, presented to ER with the same picture below, what is the diagnosis and treatment?

Answer: Acute dystonia, tx benztropine (main answer), diphenydramine



Spasm of jaw, facial, and neck muscles (trismus [lockjaw], risus sardonicus), and dysphagia are often early symptoms after variable incubation period.

Q3: 22 yo male presented with bizzare behaviour and delusions and hallucinations for 2 weeks.

- 1. What is the provisional diagnosis?
- 2. What other information you need to know about the patient?
- 3. What are the available treatments for the condition?

#### Answers: 1. Brief psychotic disorder

- 2. Ask about hx of mania, depression, previous psychotic episodes, family history, substance use... Etc
- 3. Typical and Atypical antipsychotics (mention examples)

#### Not sure about the answers

Q4: How you assess the seriousness of the suicide attempt, mention 3 signs for seriousness of the suicide attempt.

- Q1/All of the following cause reversible dementia except? Vascular dementia or tumor
- Q2/Choose the correct answer regarding OCD?

  Obsession lead to resistance
- Q3/Conjunctival injection, high blood pressure etc... Marijana intoxication
- Q4/Case of bipolar on treatment come to the clinic with diarrhea and tremor it's due to?

  Lithium side effects
- Q5/Nahilistic delusion indicate? Psychotic depression
- Q6/Which of the following is true according to psychosis? Psychosis should be treated as medical health disease
- Q7/Which of the following is true regarding patient doctor relationship something like that ?
  Good consultation is where patient have active role in it
- Q8/History about someone who was asked about his educational level (he started by talking about the club he joined, his friend and about his high school, and he concluded by saying this was my high school, this indicate?
- Cirumstanculity
- Q9/ Which of the following is a disorder of perception?
- Q10/All of the following cause violent behaviour except? Social anxiety disorder

## Psychiatry 7th

- Q1: MCQ
- 1-FDA approved drug for adhd? Methylphenidate
- 2-One of substances carries the highest risk for death? Choices were heroin, amphetamine, pcp, LSD, cannabis
- 3-All of following disorders are unconsiously in behavior except? Munchausen? I dont remember question form exactly:
- 4-True about depression? Common cause of disabilty in society
- 5-Sth common among all anxiety disorders? They tend to exaggarate normal events
- 6-A schizophrenic pnt was asked about his education level: he answered about his problems in schools and grades and lastly he said that he has finished education till school? Circumstantibility
- 7-Common in schizoid personality disorder? Prefers solitary activities
- 8-Pnt came to clinic has recurrent eating binges. Her friends mentioned that she has distorted picture about her body. they said that she now eats twice amount than normal before. she goes to pharmacy a-lot to buy laxatives., diagnosis? Bulemia nervosa
- 9-Depressed pnt with suicide attempts and refuses to eat and drink, best treatment? ECT
- 10- what is the most important in management of delirium? To treat underlying cause.

q2: a 20 y/o pnt was entered to hospital because he thinks that he is sent to save the world. His parents say that he claims to hear sounds from god telling him what to do ,answer following questions:

DDx diagnosis for this case?

Best treatment for his case? What if he became non compliant to his medications?

Other investigations to do?

- 1. mania episode, substance induced psychosis, acute psychotic disorder
- 2. Haloperidol (oral, if didn't comply with oral, try IM/IV), if haloperidol didn't work, do ECT
- 3. Urine Sample Test, (I added other screening such as electrolytes testing....)
- Q3: pnt was admitted because he has thoughts of killing his brother whenever he sees him ,he says that he avoids seeing his brother so that these thoughts does not come back again.

What is the diagnosis? OCD

What is the best pharmacologic treatment admitted for this pnt? SSRI (Sertraline)

what is the best pyschotherpaeutic form treatment for his disease? CBT

DO THESE PNTS CARRY A HIGH RISK FOR SUICIDE? YES

Is there any gender predominace on this disease? NO.

Q4: a 40 y/o pnt was diagnosed with schizophrenia, she is compliant to her drugs. She came to hospital with spasm and difficulty in neck movement.

A-Diagnosis and treatment? Acute dystonia, benzotropine

B-Side effects for antipsychotics?

C-Symptoms of malignant neuroleptic syndrome?

D-If this pnt was switched to atypical antispychotics, what are possible side effects and complications?

B-Akathasia, pakinsonism like symptoms, NMS...

C- FEVER: myoglobinuria, fever, elevated enzymes, unstable vitals, elevated CK, hyperreflexia, rigidity

D- GI symptoms: hyperglycemia, weight gain, hyperlipidemia Hyperprolactinemia....

Clozapine, cause it causes agranulocytosis as a side effect

E-What drug is given for medication resistant schizophrenia? Why?

Q5 :about Mental exam:

How to assess orientation, concentration, short term memory and long term memory, abstract thinking .

Orientation: ask patient about person, place, time


Concentration: ask patient to subtract 7s (eg. 100-7= 93, 93-7=86....), recalling weekdays reversely (eg. sunday, saturday, friday,.....)

Short term memory: make patient recall 3 different items given by examiner post 5 mins (eg. Tree, door, ball)

Long term memory: ask patient about autobiographical previous significant and identifiable info (eg. When did you get married?)


Abstract thinking: ask patient to explain a given idiom, ask patient about differences and similarities between different items (eg. Ball, Orange, Tennis)

## Psychiatry 8th



- 3. Which of the following represents a disorder of thinking?
- A. Conversion
- B. Thought echo
- C. Hallucination
- D. Depersonalisation
- E. Delusions

The answer is most likely E. (Debate over B or E. But B is probably incorrect because thought echos are a form of auditory hallucination where the patient hears his own thoughts aloud, and are therefore related to perception not thinking)



O b. Affects only the middle aged
O. c. Has good prognosis
O d. Treated by cognitive therapy
O e. Life time risk is about 7%
Clear my choice
All the following a tures of esomatic symptom disorder', EXCEPT?
O a. The symptom may be a single pain symptom
b. Multiple physical symptoms without underlying organic pathology
C. The symptoms may be related to more than one body system
d. The symptoms are intentionally produced
e. The duration of symptoms is 6 months or more
Clear my choice
In the absence of any medical disorder and substance use, which of the following symptoms.
if present for more than a month, makes a diagnosis of schizophrenia likely?
O a Delusion of grandiosity
O b. Blunted affect
O c. Mood congruent auditory hallucination
d. Voices referring to the patient as a third person
O e. Flight of ideas
Clear my choice
。 第一章

Which of the following is true about bipolar mood disorder?

a. Has strong genetic basis

# Olfactory hallucinations are defined as? Select one: a. Increase in perceptual ability. b. Abnormal thought process. c. A delusional disorder. d. A perception without stimulus. e. Misinterpretation of perception. Clear my choice

- 10. Which of the following indicates the seriousness of the suicide attempt?
- A. Female gender
- B. Depression
- C. Suicide note
- Answer: I think C

A question on terminology and general concepts:

- 1. Define delusions
- Answer: Fixed false beliefs that are not shared by the person's culture and persist despite evidence to the contrary
- 2. Define circumstantiality.
- Answer: A thought disorder in which the point of the conversation is reached eventually but only after overincluding trivial or irrelevant details.

- Anterograde amnesia: inability to form new memories

  Retrograde amnesia: inability to recall old memories formed prior to the
- precipitating event.

  4. Define illusions.
- Answer: An inaccurate perception of an existing sensory stimulus

3. Difference between anterograde and retrograde amnesia.

5. What is "diurnal variation in mood" in depression?

Answer: Changes in degree of depressive mood/symptoms during the day (worse in the morning, but improves as the day progresses)?

# Case scenarios:

Answer: Akathisia

Answer:

- 1. A case of a 20-year-old (?) male patient brought by his family to the psychiatry clinic because something about him recently seems strange. He has recently developed interest in a new religion that none of his family members are aware of. He spends much time isolated and reading about his new religion.

  (I can't remember other details).
- A. In what phase of the disorder is he in? Answer: Prodromal phase
- B. Is the gradual onset of his symptoms a good or bad prognostic sign? Answer: Bad prognostic sign
- C. The patient was treated with haloperidol. He later developed restlessness and an urge to move. What is the term for this symptom?
- D. How would you treat the symptom in question C? Answer: 1st line: beta-blocker (2nd line: benzodiazepine)
- E. Haloperidol was switched to olanzapine. What do you have to monitor?

Monitor for metabolic syndrome (HbA1c, blood pressure, weight, waist circumference and lipid profile)

- 2. A case of a young female patient. Her parents state that when she is asked a question, she does not respond at all. Additionally, when they move her arm, she keeps it in that position for a long time. (Cannot recall other details of the question)
- A. Mention two features of catatonia in the previous case scenario. Answer:
- Catalepsy (she keeps her arm fixed in the same position)
   Mutism (she does not respond at all)
- B. Name two lines of treatment for catatonia.
- Benzodiazepine
   Electroconvulsive therapy (ECT)

after starting it.

C. What is the differential diagnosis? Schizophrenia, schizoaffective disorder, substance abuse?

3. A 59-year-old male presents to his primary care physician with

- complaint of bilateral hand tremor with insidious onset over the past year. He also has felt more unsteady on his feet. He tripped on the curb outside of his house three times in the last 6 months. His wife, who accompanies him, adds that he gets lost on his way to the local grocery store and has trouble reading the time on his wristwatch. Two months ago the patient was prescribed olanzapine 2.5 mg at bedtime, because he told his wife he was seeing a brown cat with green eves sitting on the couch. His wife grew concerned because they do not own a cat. He is unbothered by seeing the cat and thinks it is "cute." The medication was quickly stopped because his muscles felt more rigid and he was more confused shortly
- A. What is the differential diagnosis? Answer: Dementia with Lewy Bodies, Parkinson's disease, Alzheimer's

disease

C. Mention two lines of treatment for the cognitive symptoms of this patient.


Answer:

- 1. Acetylcholinesterase inhibitors (donepezil, rivastigmine)
- 2. NMDA receptor antagonists??
- D. How would you treat the motor symptoms of this patient? Answer: Levodopa-carbidopa
- E. What drugs should you avoid in this patient and why? Answer: Typical antipsychotics because they will worsen the Parkinson-like motor symptoms (extrapyramidal symptoms) in this patient (dopamine antagonists) (?)

## Psychiatry 9

- 1. Which of the following indicates the seriousness of the suicide attempt?
- A. Female gender
- B. Depression
- C. Suicide note

Answer: I think C



he was conious and having valuation home. CT scan was no mal.What is the diagno	tions, became mal, Gamma	or confused, wa OT was elevat	ndering in the v	vard thinking that
ssociative reaction				
ubdural hematoma				
ain concussion				
coholwithdrawal				
onversion reaction				
ir my choice				
ir my ch	noice	noice	noice	noice

A 28 year woman attends a psychlatric clinic complains of mood swings from time to time, she admits that she has not been able to sustain relationships because of her mood swings and impulsivity. Some irrest abandonment by her friends, blames every one for her current state. She had seve an overdoses impulsively during the previous five years. She misused benzodiazepines to reduce tension and sleep. The most likely diagnosis is?

Output

Outp

5-FDA approved drug for adhd? Methylphenidate 6-One of substances carries the highest risk for death? Choices were heroin, amphetamine, pcp, LSD, cannabis

7-Depressed pnt with suicide attempts and refuses to eat and drink, best treatment? ECT

8/All of the following cause reversible dementia except ? Vascular dementia or tumor

9- Haloperidol & Last 2 was Also from P.D

O Case about GAD -DDX GAD -TX SSRI, CBT - Side effect of the drug used that lead to non-compliance - Nausen 2) Case about Delirum - ODX Deligum - Admit to psy. unit 2 why No. it's an emergency Admit to ICU -Important step in managment treat the underlying - Pt refuse to take medication what you will do Give IM antipsychotic 3) Case about containing -DDX -the meaning of the statement • the 500 keeps looking at the roof Negatism?/bizzare posture? · He remain in the Same position. Catalepsy - Treatment (2 lines) ECT & mood Stabilizers

1- Concentration
2- Orientation
3- How to ask about short term memory
4-1, 1, 1, long term memory
5- Abstract

¥ لوحد فرعين ناقهين

4 Def.